

Action statement

Flora and Fauna Guarantee Act 1988

Mountain Bird-orchid (*Chiloglottis jeanesii*)


Taxon ID: 504499

Action statements are developed under the *Flora and Fauna Guarantee Act 1988* (FFG Act). Their preparation and implementation complement the FFG Act strategy *Protecting Victoria's Environment – Biodiversity 2037* and its vision that “Victoria’s biodiversity is healthy, valued and actively cared for”.

Species and Distribution



Mountain Bird-orchid. Image source: Atlas of Living Australia.



Mountain Bird-orchid Victorian Biodiversity Atlas (VBA) records since 1970. See [NatureKit](#) for an interactive map. This species also occurs outside of Victoria.

Conservation Status

Vulnerable

Listing criteria: 5.1.1; 5.1.2(a)(b)(i)(ii)(iii)(iv)(v); 5.1.3(a); 5.1.5 of the Flora and Fauna Guarantee Regulations 2020.

This means that:

- the taxon has undergone, is suspected to have undergone, or is likely to undergo in the immediate future, a substantial reduction in population size; and
- its geographic distribution is restricted; and
- it is restricted to a limited number of areas that are subject to the same threat or suite of threats that can impact all individuals present; and
- there is a continuing decline or reduction in:
 - its extent of occurrence; and
 - its area of occupancy; and
 - the area, extent or quality of habitat; and
 - the number of locations or subpopulations; and
 - the numbers of mature individuals; and
- the total number of mature individuals is moderately low, and the number is likely to continue to decline at a substantial rate; and

- it has a restricted geographic distribution and plausible future threats could drive it to become critically endangered or extinct in a very short time.

Corresponding International Union for the Conservation of Nature (IUCN) criteria: A2bce+3ce+4bce; B1ab(i,ii,iii,iv,v)+2ab(i,ii,iii,iv,v); C1; D2.

More information on IUCN listing criteria can be found here: [IUCN Red List Criteria](#).

Species Information

The Mountain Bird-orchid also occurs outside of Victoria where it may have a different conservation status throughout its broader distribution. Species information such as its description, distribution, ecology and references are provided in the [Mountain Bird-orchid Species Forecast Report](#), [VicFlora](#) and the [Atlas of Living Australia](#).

Threats

The threats below have been identified by input from western scientists, and from databases, decision support tools and published literature. Traditional Owners may have additional threats to those listed for this species.

Threat	Description
Altered hydrology	
Altered water regime	<ul style="list-style-type: none"> • Changes to flow or water regimes which do not align with the species' needs may impact habitat suitability, recruitment and/or mortality, and ultimately site occupancy.
Climate change	
Altered rainfall and temperature regimes	<ul style="list-style-type: none"> • Increasing temperature and altered rainfall are likely to magnify existing threats and may reduce the stability, extent, and condition of habitat.
Fire	
Altered fire regimes	<ul style="list-style-type: none"> • A hotter, drier climate may increase the likelihood or frequency of fire impacting habitat, with the potential to reduce habitat extent and/or condition. This includes the drying of buffers which act to prevent planned burns from entering rainforest. • A hotter, drier climate may increase the frequency and severity of fire impacting habitat, with the potential to reduce habitat extent and/or condition. • Increased frequency and intensity of fire may cause mortality of plants before they reach maturity. Fires contribute to vegetation change by opening the habitat and permitting drying winds to enter, facilitating overgrowth by short-lived shrubs and herbs, and allowing expansion of eucalypt species. • Both infrequent and frequent fire, may lead to population decline and alter vegetation structure and habitat condition.
Fire management activities	<ul style="list-style-type: none"> • Fire management operations such as creation of fuel breaks (soil disturbance, slashing) may remove or degrade habitat, cause mortality of individuals, and reduce regeneration.
Habitat loss, degradation or modification	
Land use change	<ul style="list-style-type: none"> • Land use change alters vegetation extent and condition, and may impact water regimes, contributing to habitat loss and degradation.
Livestock	<ul style="list-style-type: none"> • Livestock can cause habitat degradation through the combined effects of herbivory, trampling, soil compaction, soil erosion, pugging of wet areas, and excess nutrient loads.

Threat	Description
Human disturbance	
Lack of awareness	<ul style="list-style-type: none"> Land managers and/or community members may inadvertently cause harm to a species or its habitat through a lack of awareness of the species' conservation needs.
Introduced species	
Deer	<ul style="list-style-type: none"> Introduced deer species such as Sambar Deer (<i>Cervus unicolor</i>), Red Deer (<i>Cervus elaphus</i>), Fallow Deer (<i>Dama dama</i>) and Hog Deer (<i>Axis porcinus</i>) degrade habitat through herbivory, antler-rubbing, trampling, pugging of wet soils, increasing nutrient loads, causing erosion of waterway edges, and increasing the accessibility of habitat for other introduced species.
Feral pigs	<ul style="list-style-type: none"> Feral pigs (<i>Sus scrofa</i>) cause direct mortality and damage habitat through pugging and wallowing that compacts soils. Pigs can also cause erosion and increase nutrient loads that result in degraded water quality and changes to vegetation structure.
Introduced plants	<ul style="list-style-type: none"> Introduced plants can directly compete for resources and reduce species abundance and diversity.
Rabbits	<ul style="list-style-type: none"> The European Rabbit (<i>Oryctolagus cuniculus</i>) can cause direct mortality of plants and significantly impact recruitment. Rabbits also damage habitat through the construction of warrens that can cause soil erosion, and provide habitat for other introduced species.
Native species	
Competition and/or herbivory by native species	<ul style="list-style-type: none"> Competition for resources with, and/or herbivory by, other native species can impact habitat, recruitment and/or mortality rates. This threat is exacerbated where habitat loss or degradation reduces availability of resources.
Other native plant species	<ul style="list-style-type: none"> Encroachment of eucalypt recruits from surrounding forest following intense fire events significantly impacts the retention of rainforest habitat. As this habitat transitions from an enclosed rainforest to an open forest dominated by eucalypts, shade tolerant and rainforest dependent understorey species will be displaced by light tolerant sclerophyll forest species.
Pathogens and disease	
Myrtle Wilt	<ul style="list-style-type: none"> Myrtle Wilt is a natural disease of Myrtle Beech (<i>Nothofagus cunninghamii</i>). It is caused by a fungus (<i>Chalara australis</i>) infecting plants through wounded tissue, and almost always kills the infected tree. This is a major threat to habitat throughout areas where Myrtle Beech is the dominant or co-dominant canopy species. Understorey species will be impacted by changes in light, temperature and moisture as a result of a reduction in canopy cover caused by the disease.
Population dynamics	
Lack of pollination opportunities	<ul style="list-style-type: none"> Lack of pollination opportunities or events contributes to low recruitment rates.
Loss of genetic diversity	<ul style="list-style-type: none"> Small, greatly reduced, and/or isolated populations are at increased risk of loss of genetic diversity, which leads to a heightened risk of reduced recruitment and/or increased mortality rates.

Conservation Objectives

Conservation objectives are informed by the conservation status and criteria in which the species was listed under the FFG Act. This provides a framework to understand how we can work towards recovery and improve the species' conservation status over time as per the objectives of the FFG Act.

The key objectives of this action statement are:

- Mitigate threats to populations and habitat to increase resilience, increase genetic fitness and minimise future population decline;
- Increase the Mountain Bird-orchid's range and/or extent, by providing opportunities for natural movement/dispersal;
- Increase knowledge of biology, ecology, distribution, demography, emerging threats, and conservation requirements; and
- Support community participation and improve awareness of the Mountain Bird-orchid and conservation of its habitat, including the restoration of cultural knowledge where appropriate.

Conservation Actions

The actions below have been identified by input from western scientists, and from databases, decision support tools and published literature. Actions are listed in alphabetical order to allow all interested parties to prioritise based on their context, capacity and capability. Holistic management of the cultural landscape where this species occurs is encouraged. Traditional Owners may identify other actions including cultural practice that will benefit this species, and may also need to review existing actions to ensure they are culturally appropriate. For more information on where to undertake actions that benefit multiple species and identify the most beneficial locations to undertake actions for this species, please refer to [NatureKit](#). In undertaking actions for this species, consider the full extent of the species' range.

Action	Description
Artificial pollination	<ul style="list-style-type: none"> • Mitigate low pollination opportunities by undertaking artificial pollination, to improve recruitment success.
Avoid and/or mitigate impacts associated with fire management	<ul style="list-style-type: none"> • Ensure that species distribution data and ecological information is available and considered in fire management activities. • Undertake biodiversity values check prior to fuel management in areas of the species' habitat, to confirm treatment suitability and timing.
Climate adaptation	<ul style="list-style-type: none"> • Consider the incremental and/or transformational adaptation actions that may be required to support the recovery of the species. This may be done by applying the climate adaptation lens and triggers for transformational adaptation from the Victorian Government's Climate Change Adaptation Action Plans.
Collect and store reproductive material	<ul style="list-style-type: none"> • Undertake appropriate collection of propagules for long-term storage. Ensure that adequate supply and genetic diversity is secured for future reintroduction, and that essential information (such as dormancy) is known. Also ensure collection of mycorrhizal fungi where appropriate. • Maintain seed collections from target populations within the Victorian Conservation Seedbank at the Royal Botanic Gardens Victoria.
Community engagement and awareness	<ul style="list-style-type: none"> • Identify, promote, and support opportunities for raising awareness and community involvement in conservation efforts, including through citizen science, to inform improved management for the species. • Increase landholder awareness of the species and the impacts of livestock grazing. Provide guidance on the changes to grazing that may be required, such as exclusion, to support conservation outcomes.
Control deer*	<ul style="list-style-type: none"> • Implement and maintain effective control of deer in priority areas.
Control feral pigs*	<ul style="list-style-type: none"> • Implement and maintain effective control of feral pigs in priority areas.

Action	Description
Control introduced plants*	<ul style="list-style-type: none"> Implement and maintain effective control of introduced plants in priority areas and undertake revegetation with appropriate native species, where required.
Control rabbits*	<ul style="list-style-type: none"> Implement and maintain effective control of rabbits in priority areas.
Ecological fire regime*	<ul style="list-style-type: none"> Implement fire management actions that promote an appropriate fire regime for the species.
Establish and maintain fencing	<ul style="list-style-type: none"> Establish and maintain fencing and/or other forms of protection to prevent access and damage to individuals or populations from introduced or native species where required.
Ex-situ management	<ul style="list-style-type: none"> Establish and maintain ex-situ populations in suitable secure sites, to service the conservation objectives of the species.
Manage native plant species	<ul style="list-style-type: none"> Manage eucalypt encroachment in rainforest following intense fire events. Removal should occur within four years following fire, and focus on habitat for known threatened species.
Manage native species	<ul style="list-style-type: none"> Develop and apply management techniques to mitigate the threat of competition and/or herbivory from native species where required.
Mitigate the risks posed by myrtle wilt	<ul style="list-style-type: none"> Minimise damage to the crown or root system of Myrtle Beech (<i>Nothofagus cunninghamii</i>) to limit infection by the airborne and waterborne spores of the fungal pathogen.
Protect key habitat	<ul style="list-style-type: none"> Minimise alterations to hydrological regimes upstream or in surrounding landscapes.
Research	<ul style="list-style-type: none"> Improve understanding of reproductive requirements, including pollinators, pollination regimes and seed germination cues.
Restoration and/or revegetation*	<ul style="list-style-type: none"> Undertake restoration and/or revegetation to increase habitat suitability and/or create new habitat areas.
Survey and monitoring	<ul style="list-style-type: none"> Undertake targeted field surveys to confirm the extent of all known populations and seek to discover previously undetected populations based on predicted habitat and ecological information. Monitor representative populations to determine trends and management needs.
Translocation	<ul style="list-style-type: none"> Design and implement a translocation program to meet the objectives of the action statement.
Vegetation management	<ul style="list-style-type: none"> Investigate localised management solutions to mitigate the impacts of increased frequency and intensity of fire.

*Indicates landscape-scale actions that may deliver benefits to multiple species

Past Actions

The key conservation management actions listed below have been delivered in the past 10 years.

Past Action	Description
Develop, update and apply forestry protections	• Commercial native timber harvesting in State forests in Victoria ceased on 1 January 2024.
	• The risk of forestry operations was assessed for this species in 2022 under the Victorian Government Threatened Species and Communities Risk Assessment.
	• Commercial native timber harvesting in State forests in Victoria ceased on 1 January 2024.

Decision Support Tools

Decision making for conservation actions is supported through the following Victorian Government tools which may be of assistance in choosing the most appropriate or beneficial actions for biodiversity:

- [Choosing actions for nature](#)
- [Biodiversity Knowledge Framework](#)

Further Information

- [Mountain Bird-orchid Species Forecast Report](#)
- [Threatened Species Assessment Report - Mountain Bird-orchid \(*Chiloglottis jeanesii*\)](#)
- [Atlas of Living Australia – Open access to Australia’s biodiversity data](#)
- [Threatened Species and Communities Risk Assessment](#)
- [Victorian Deer Control Strategy](#)
- [Victorian Deer Control Strategy](#)
- [Victoria’s changing climate - understanding the impacts of climate change in Victoria](#)
- [Code of Practice for Timber Production 2014](#)
- [Commonwealth Threat Abatement Plans](#)
- [Flora and Fauna Guarantee Regulations 2020](#)
- [IUCN criteria summary](#)
- [Natural Environment Climate Change Adaptation Action Plan 2022-2026](#)

Get Involved and Take Action

If you are interested in supporting this species’ recovery, there are some important things to consider.

The Department of Energy, Environment and Climate Action (DEECA) is committed to engaging and partnering with Traditional Owners on how they wish to be involved in the planning and implementation of actions for this species. Steps must be taken to avoid harm and where appropriate ensure actions can deliver cultural benefits.

You can find advice about required approvals, land manager and/or owner permissions, options and incentives for private land conservation, and engagement with Traditional Owners and public land managers here: [Action statements \(environment.vic.gov.au\)](#)

To identify the relevant Traditional Owners, use the [Aboriginal Cultural Heritage Register and Information System \(ACHRIS\) Welcome to Country and Acknowledgements Map](#).

You can also register your interest in taking action so we can connect you to other people or organisations working to help us secure the future for this species at threatened.species@deeca.vic.gov.au

Reporting Actions

Activity data are critical to monitoring the implementation and progress of actions and evaluating action statements. These data are also used to:

- determine progress towards achieving the contributing targets for [Protecting Victoria's Environment – Biodiversity 2037](#).
- inform the five-yearly State of the Environment Report.

For guidance on reporting actions undertaken on this species, refer to [Activity Data](#).

Submitting Monitoring Data

The Victorian Biodiversity Atlas (VBA) provides a foundational dataset showing where biodiversity occurs across the Victorian landscape and how it may have changed over time. As a core input for decision support tools that inform conservation action, public land management, research activities and reporting, we encourage all participants in the delivery of on-ground actions to submit species records and observations, including for weeds or introduced animals, as they carry out their projects.

For further information see: [Victorian Biodiversity Atlas \(environment.vic.gov.au\)](#)

Sign up and begin submitting your data today at: <https://vba.biodiversity.vic.gov.au/>

Indigenous Data Sovereignty

DEECA is committed to recognising and enabling Indigenous Data Sovereignty (IDS). Indigenous data comprise any information or knowledge of species and Country collected or recorded by, or about, Traditional Owners. IDS asserts Traditional Owner rights to access and have governance over the collection, ownership and use of their data, including that which is included or referred to in this Action Statement.

Acknowledgement

We acknowledge and respect Victorian Traditional Owners as the original custodians of Victoria's land and waters, their unique ability to care for Country and deep spiritual connection to it. We honour Elders past and present whose knowledge and wisdom has ensured the continuation of culture and traditional practices.

We are committed to genuinely partner, and meaningfully engage, with Victoria's Traditional Owners and Aboriginal communities to support the protection of Country, the maintenance of spiritual and cultural practices and their broader aspirations in the 21st century and beyond.



© The State of Victoria Department of Energy, Environment and Climate Action October, 2024



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>

ISSN 1448-9902 (online)

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Accessibility

If you would like to receive this publication in an alternative format, please telephone the DEECA Customer Service Centre on 136186, email customer.service@deeca.vic.gov.au or via the National Relay Service on 133 677 www.accesshub.gov.au. This document is also available on the internet at www.environment.vic.gov.au

