

Action statement

Flora and Fauna Guarantee Act 1988

Dusky Violet (*Viola fuscoviolacea*)


Taxon ID: 505057

Action statements are developed under the *Flora and Fauna Guarantee Act 1988* (FFG Act). Their preparation and implementation complement the FFG Act strategy *Protecting Victoria's Environment – Biodiversity 2037* and its vision that “Victoria’s biodiversity is healthy, valued and actively cared for”.

Species and Distribution



Dusky Violet. Image source: Atlas of Living Australia.



Dusky Violet Victorian Biodiversity Atlas (VBA) records since 1970. See [NatureKit](#) for an interactive map. This species also occurs outside of Victoria.

Conservation Status

Endangered

Listing criteria: 4.1.2(a)(b)(i)(ii)(iii)(iv) of the Flora and Fauna Guarantee Regulations 2020.

This means that:

- its geographic distribution is highly restricted; and
- the distribution of the population or habitat of the taxon is severely fragmented; and
- there is a continuing decline or reduction in:
 - its extent of occurrence; and
 - its area of occupancy; and
 - the area, extent or quality of habitat; and
 - the number of locations or subpopulations; and
 - the numbers of mature individuals.

Corresponding International Union for the Conservation of Nature (IUCN) criteria: B2ab(i,ii,iii,iv). More information on IUCN listing criteria can be found here: [IUCN Red List Criteria](#).

Species Information

The Dusky Violet also occurs outside of Victoria where it may have a different conservation status throughout its broader distribution. Species information such as its description, distribution, ecology and references are provided in the [Dusky Violet Species Forecast Report](#), [VicFlora](#) and the [Atlas of Living Australia](#).

Threats

The threats below have been identified through expert input, published literature and spatial analysis.

Threat	Description
Altered hydrology	
Altered water regime	<ul style="list-style-type: none"> Changes to flow or water regimes which do not align with the species' needs may impact habitat suitability, recruitment and/or mortality, and ultimately site occupancy.
Climate change	
Altered rainfall and temperature regimes	<ul style="list-style-type: none"> Climate change, increasing temperature and altered rainfall are likely to magnify existing threats and may reduce the stability, extent, and condition of habitat.
Increased frequency and/or length of droughts	<ul style="list-style-type: none"> Drying and warming of the environment, including droughts, may lead to habitat changes, and impact recruitment and/or mortality rates.
Temperature extremes	<ul style="list-style-type: none"> Climate change may increase the frequency and duration of heat-wave events, leading to increased risk of mortality.
Fire	
Altered fire regimes	<ul style="list-style-type: none"> Infrequent fire, and in some instances overly frequent fire, may lead to population decline and alter vegetation structure and habitat quality. A hotter, drier climate may increase the likelihood or frequency of fire impacting habitat, with the potential to reduce habitat extent and/or condition.
Fire management activities	<ul style="list-style-type: none"> Fire management operations such as creation of fuel breaks (soil disturbance, slashing) may remove or degrade habitat, cause mortality of individuals, and reduce regeneration.
Habitat loss, degradation or modification	
Land use change	<ul style="list-style-type: none"> Ploughing of ephemeral wetlands can damage or lead to the loss of these habitats. Land use change alters vegetation extent and condition, and may impact water regimes, contributing to habitat loss and degradation.
Vegetation clearing or damage	<ul style="list-style-type: none"> Habitats are subject to ongoing small and large losses as a result of activities such as urban development, construction and maintenance of car parks, tracks and visitor facilities, and coastal recreational infrastructure.
Human disturbance	
Construction, development and/or infrastructure	<ul style="list-style-type: none"> Construction and development may result in direct removal of habitat, or indirect impacts to habitat through changes to water regimes and increased risk of weed incursion.
Ground disturbance	<ul style="list-style-type: none"> Trampling and the use of off-road motor vehicles impacts the soil, damages habitat and may directly and indirectly cause species mortality.
Lack of awareness	<ul style="list-style-type: none"> Land managers and/or community members may inadvertently cause harm to a species or its habitat through a lack of awareness of the species' conservation needs.

Threat	Description
Recreational activities	<ul style="list-style-type: none"> Recreational activities such as walking, dog walking, horse-riding, rock-climbing, cycling, camping, trail bike riding, and off-road driving may damage habitat, impact recruitment and mortality rates and reduce species persistence at the site.
Introduced species	
Deer	<ul style="list-style-type: none"> Introduced deer species (Sambar Deer (<i>Cervus unicolor</i>), Red Deer (<i>Cervus elaphus</i>) and Fallow Deer (<i>Dama dama</i>)) degrade habitat through herbivory, antler-rubbing, trampling, pugging of wet soils, increasing nutrient loads, erosion of waterway edges, and increasing the accessibility of habitat to other introduced species.
Feral horses	<ul style="list-style-type: none"> Feral horses (<i>Equus caballus</i>) severely degrade habitat through herbivory, trampling, pugging of wet soils, increasing nutrient loads, and erosion of waterway edges. Their presence can also disperse seeds from introduced plant species, altering habitat composition and structure.
Native species	
Competition and/or herbivory by native species	<ul style="list-style-type: none"> Competition for resources with, and/or herbivory by, other native species can impact habitat, recruitment and/or mortality rates. This threat is exacerbated where habitat loss or degradation reduces availability of resources.
Population dynamics	
Loss of genetic diversity	<ul style="list-style-type: none"> Small, greatly reduced, and/or isolated populations are at increased risk of loss of genetic diversity, which leads to a heightened risk of reduced recruitment and/or increased mortality rates.
Water properties	
Changes to salinity	<ul style="list-style-type: none"> Changes to natural salinity levels in waterways and/or wetlands can degrade habitat or result in habitat type, impacting persistence at the site.

Conservation Objectives

Conservation objectives are informed by the conservation status and criteria in which the species was listed under the FFG Act. This provides a framework to understand how we can work towards recovery and improve the species' conservation status over time as per the objectives of the FFG Act.

The key objectives of this action statement are:

- Mitigate threats to populations and habitat to increase resilience, increase genetic fitness and minimise future population decline;
- Increase the Dusky Violet's range and/or extent, by providing opportunities for natural movement/dispersal;
- Increase knowledge of biology, ecology, distribution, demography, emerging threats, and conservation requirements; and
- Support community participation and improve awareness of the Dusky Violet and conservation of its habitat, including the restoration of cultural knowledge where appropriate.

Conservation Actions

The actions below have been identified through expert input, published literature and spatial analysis. Actions are listed in alphabetical order to allow all interested parties to prioritise based on their context, capacity and capability. Holistic management of the cultural landscape where this species occurs is encouraged noting additional actions including cultural practice may benefit this species. For more information on where to undertake actions that benefit multiple species and identify the most beneficial locations to undertake actions for this species, please refer to [NatureKit](#). In undertaking actions for this species, consider the full extent of the species' range.

Action	Description
Avoid and/or mitigate impacts associated with fire management	<ul style="list-style-type: none"> Ensure that species distribution data and ecological information is available and considered in fire management activities. Undertake biodiversity values check prior to fuel management in areas of the species' habitat, to confirm treatment suitability and timing.
Climate adaptation	<ul style="list-style-type: none"> Consider the incremental and/or transformational adaptation actions that may be required to support the recovery of the species. This may be done by applying the climate adaptation lens and triggers for transformational adaptation from the Victorian Government's Climate Change Adaptation Action Plans.
Collect and store reproductive material	<ul style="list-style-type: none"> Maintain seed collections from target populations within the Victorian Conservation Seedbank at the Royal Botanic Gardens Victoria. Undertake appropriate collection of propagules for long-term storage. Ensure that adequate supply and genetic diversity is secured for future reintroduction, and that essential information (such as dormancy) is known.
Community engagement and awareness	<ul style="list-style-type: none"> Work with key stakeholders to reduce the threats of human disturbance and encourage behaviours that support a healthy environment. Identify, promote, and support opportunities for raising awareness and community involvement in conservation efforts, including through citizen science to inform improved management for the species.
Control deer*	<ul style="list-style-type: none"> Implement and maintain effective control of deer in priority areas.
Control feral horses*	<ul style="list-style-type: none"> Implement and maintain effective control of feral horses in priority areas.
Ecological fire regime*	<ul style="list-style-type: none"> Implement fire management actions that promote an appropriate fire regime for the species.
Establish and maintain fencing	<ul style="list-style-type: none"> Establish and maintain fencing to prevent access and damage to individuals or populations from introduced or native species where required.
Manage environmental water	<ul style="list-style-type: none"> Explore options for the provision of environmental water to mitigate the threat of a change in salinity where required.
Manage native species	<ul style="list-style-type: none"> Develop and apply management techniques to mitigate the threat of competition and/or herbivory from native species where required.
Manage public access	<ul style="list-style-type: none"> Exclude access from horse-riding, vehicles and motorbikes, and discourage human trampling through the provision of appropriate fencing, signage and community education.
Permanent protection*	<ul style="list-style-type: none"> Investigate incentives, voluntary agreements, covenants, and other permanent protection measures to protect and restore habitat.

Protect key habitat	<ul style="list-style-type: none"> • Work with land managers, planners and developers to minimise impacts from construction and development or identify alternative sites for placement of infrastructure.
	<ul style="list-style-type: none"> • Ensure that species distribution data and ecological information are available and considered in planning for developments, land use changes and utilities maintenance. Ensure that incremental losses are included in consideration of potential losses.
	<ul style="list-style-type: none"> • Minimise alterations to hydrological regimes upstream or in surrounding landscapes.
Restoration and/or revegetation*	<ul style="list-style-type: none"> • Undertake restoration and/or revegetation to increase habitat suitability and/or create new habitat areas.
Survey and monitoring	<ul style="list-style-type: none"> • Undertake targeted field surveys to confirm the extent of all known populations and seek to discover previously undetected populations based on predicted habitat and ecological information.
	<ul style="list-style-type: none"> • Monitor representative populations to determine trends and management needs.

**Indicates landscape-scale actions that may deliver benefits to multiple species*

Past Actions

The compilation process for this action statement did not identify any past management actions undertaken in the last 10 years. If you are aware of recent actions that have been undertaken to benefit this species, please contact threatened.species@deeca.vic.gov.au

Decision Support Tools

Decision making for conservation actions is supported through the following Victorian Government tools which may be of assistance in choosing the most appropriate or beneficial actions for biodiversity:

- [Choosing actions for nature](#)
- [Biodiversity Knowledge Framework](#)

Further Information

- [Dusky Violet Species Forecast Report](#)
- [Threatened Species Assessment Report - Dusky Violet \(*Viola fuscoviolacea*\)](#)
- [Atlas of Living Australia – Open access to Australia’s biodiversity data](#)
- [Victorian Deer Control Strategy](#)
- [Victoria’s changing climate - understanding the impacts of climate change in Victoria](#)
- [Commonwealth Threat Abatement Plans](#)
- [Flora and Fauna Guarantee Regulations 2020](#)
- [IUCN criteria summary](#)
- [Natural Environment Climate Change Adaptation Action Plan 2022-2026](#)

Get Involved and Take Action

If you are interested in supporting this species' recovery, there are some important things to consider.

The Department of Energy, Environment and Climate Action (DEECA) is committed to engaging and partnering with Traditional Owners on how they wish to be involved in the planning and implementation of actions for this species. Steps must be taken to avoid harm and where appropriate ensure actions can deliver cultural benefits.

You can find advice about required approvals, land manager and/or owner permissions, options and incentives for private land conservation, and engagement with Traditional Owners and public land managers here: [Action statements \(environment.vic.gov.au\)](https://environment.vic.gov.au/action-statements)

To identify the relevant Traditional Owners, use the [Aboriginal Cultural Heritage Register and Information System \(ACHRIS\) Welcome to Country and Acknowledgements Map](#).

You can also register your interest in taking action so we can connect you to other people or organisations working to help us secure the future for this species at threatened.species@deeca.vic.gov.au

Reporting Actions

Activity data are critical to monitoring the implementation and progress of actions and evaluating action statements. These data are also used to:

- determine progress towards achieving the contributing targets for [Protecting Victoria's Environment – Biodiversity 2037](#).
- inform the five-yearly State of the Environment Report.

For guidance on reporting actions undertaken on this species, refer to [Activity Data](#).

Submitting Monitoring Data

The Victorian Biodiversity Atlas (VBA) provides a foundational dataset showing where biodiversity occurs across the Victorian landscape and how it may have changed over time. As a core input for decision support tools that inform conservation action, public land management, research activities and reporting, we encourage all participants in the delivery of on-ground actions to submit species records and observations, including for weeds or introduced animals, as they carry out their projects.

For further information see: [Victorian Biodiversity Atlas \(environment.vic.gov.au\)](https://environment.vic.gov.au/victorian-biodiversity-atlas)

Sign up and begin submitting your data today at: <https://vba.biodiversity.vic.gov.au/>

Indigenous Data Sovereignty

DEECA is committed to recognising and enabling Indigenous Data Sovereignty (IDS). Indigenous data comprise any information or knowledge of species and Country collected or recorded by, or about, Traditional Owners. IDS asserts Traditional Owner rights to access and have governance over the collection, ownership and use of their data, including that which is included or referred to in this Action Statement.

Acknowledgement

We acknowledge and respect Victorian Traditional Owners as the original custodians of Victoria's land and waters, their unique ability to care for Country and deep spiritual connection to it. We honour Elders past and present whose knowledge and wisdom has ensured the continuation of culture and traditional practices.

We are committed to genuinely partner, and meaningfully engage, with Victoria's Traditional Owners and Aboriginal communities to support the protection of Country, the maintenance of spiritual and cultural practices and their broader aspirations in the 21st century and beyond.





This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>

ISSN 1448-9902 (online)

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Accessibility

If you would like to receive this publication in an alternative format, please telephone the DEECA Customer Service Centre on 136186, email customer.service@deeca.vic.gov.au or via the National Relay Service on 133 677 www.accesshub.gov.au. This document is also available on the internet at www.environment.vic.gov.au

